

**6 April 1998**



**Transportation**

**UNIT 463L PALLET AND NET MANAGER'S  
RESPONSIBILITIES**

**COMPLIANCE WITH THIS PUBLICATION IS MANDATORY**

---

**NOTICE:** This publication is available digitally on the HQ AFRC WWW site at: <http://www.afrc.af.mil> and the AFRCEPL (CD-ROM) published monthly.

---

OPR: 42 APS/OSN (TSgt Steve Kukawka)  
Supersedes 439 AWR 76-1, 15 June 1993

Certified by: 439 OG/CC (Col David McCarthy)

Pages: 2  
Distribution: F

---

This instruction implements AFRPD 24-2, *Preparation and Movement of Air Force Materiel*. It establishes procedures for the preservation, handling and storage of 463L pallets and nets by the users on Westover ARB. It explains the responsibilities of the Base and Unit Pallet and Net Managers. It applies to all organizations assigned pallets and nets.

**SUMMARY OF REVISIONS**

This revision aligns the instruction with AFRPD 24-2.

**1. Responsibilities.** The Operations Group Air Transportation Manager (42 APS/OSN) is designated as the Pallet and Net Manager and ensures all units appoint a primary and alternate Pallet and Net Control Monitor. OSN is responsible for the Pallet and Net Program.

**2. Unit Pallet and Net Managers:**

2.1. Establish stringent control over all pallets and nets assigned. Unit managers complete a visual inventory of pallets and nets quarterly. Any differences in quantity from the previous quarter is reported to 42 APS/OSN no later than the last work day of the quarter.

2.2. Safeguard assigned nets and pallets. Ensure all pallets and nets are stored or used as prescribed by AFI 24-203, *Management and Use of Pallets and Nets (Joint)*, Technical Order (T.O.) 35D33-2-2-2, *Handling and Maintaining Pallets*, and T.O. 35D33-2-3-1, *Handling and Maintaining Nets*.

2.3. Inspect pallets and nets prior to and after each use. If corrosion, wear, or damage is evident, an AFTO Form 350, **Repairable Item Processing Tag**, is sent to 439 OG/OGN. Only minor base level maintenance outlined in T.O. 35D33-2-2-2, Chapter 4, is accomplished at this installation.

3. **Nets.** All nets are stored away from direct heat sources, such as radiators or heat ducts.
4. **Assignment of Pallets and Nets (Operational).** All increases or decreases in pallet authorizations are made in accordance with AFI 24-203, and forwarded to the Pallet and Net Manager.

JAMES D. BANKERS, Brig Gen, USAFR  
Commander